U.S. Department
of Transportation
**Pipeline and
Hazardous Materials
Safety Administration**

400 Seventh Street, S.W.
Washington, D.C. 20590

IAEA CERTIFICATE OF COMPETENT AUTHORITY
SPECIAL FORM RADIOACTIVE MATERIALS
CERTIFICATE USA/0292/S-96, REVISION 7

This certifies that the sources described have been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency[1] and the United States of America[2] for the transport of radioactive material.

1. Source Identification - Neutron Products, Inc. Model Nos. NPI-XX-XXXX, NPI-XX-XXXXW, NPI-XX-XXXXR, NPI-XX-XXXXCR, and NPI-XX-XXXXRC; where XX represents the nominal diamter in mm, XXXX respresents the nominal source intensity in roentgens per hour at one meter, and W, R, CR, and RC represent the form of the radioactive contents.

2. Source Description - Cylindrical double encapsulations made of Type 304L or Type 316L stainless steel. Approximate outer dimensions are between 23.6 mm (0.93 in.) and 38.0 mm (1.50 in.) in diameter and between 33.0 mm (1.30 in.) and 42.0 mm (1.65 in.) in length. An internal tungsten shield may be used on the Model NPI-XX-XXXXW and a stainless steel inner shield may be used on the Model NPI-XX-XXXX. Construction shall be in accordance with attached Neutron Products Inc. Drawing No. 200383.

3. Radioactive Contents - No more than 444.0 TBq (12,000.0 Ci) of Cobalt-60 for the Model Nos. NPI-XX-XXXX and NPI-XX-XXXXW. The Co-60 is in the form of metal wafers or a solid slug. No more than 555.0 TBq (15,000.0 Ci) of Cobalt-60 for the Model Nos. NPI-XX-XXXXR, NPI-XX-XXXXCR, and NPI-XX-XXXXRC. The Co-60 is in the form of metal wafers, metal casting, or metal rods.

4. Quality Assurance - Records of Quality Assurance activities required by Paragraph 310 of the IAEA regulations[1] shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors and consignees in the United States exporting or importing shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.

5. Expiration Date - This certificate expires on October 31, 2011.

---

[1] "Regulations for the Safe Transport of Radioactive Material, 1996 Edition (Revised), No. TS-R-1 (ST-1, Revised)," published by the International Atomic Energy Agency(IAEA), Vienna, Austria.

[2] Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0292/S-96, REVISION 7

This certificate is issued in accordance with paragraph 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the October 06, 2006 petition by Neutron Products, Inc., Dickerson, MD and in consideration of other information on file in this Office.

Certified By:



Robert A. McGuire
Associate Administrator for Hazardous Materials Safety

Oct 23 2006
(DATE)

Revision 7 - Issued to extend the expiration date and correct a typographical error.

CATALOG No NPI XX-XXXX
AND NPI XX-XXXXW
WHERE: FIRST TWO DIGITS ARE
ACTIVE DIAMETER(D) IN MM
LAST DIGITS EQUAL THE
DOSERATE IN RHM
D=05, 10, 15, 20 OR 25MM



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	**NEUTRON PRODUCTS INC**		
TOLERANCES ANGULAR DECIMAL FRACTIONAL	TITLE: TELETHERAPY SOURCE	APPROVED	ISSUED DATE
DRAWN JG 1-31-97		SIZE A	DWG. NO. 200383 REV
DESIGN MT 1-31-97		SCALE 2/1	SHEET 1 OF 1
CHECKED 1/31/97			